

Permit No. _____

Date _____

WASHINGTON COUNTY RESIDENTIAL AND COMMERCIAL DRIVEWAY PERMIT

APPLICATION AND PERMIT FOR A RESIDENTIAL OR COMMERCIAL DRIVEWAY TO ACCESS A COUNTY OR TOWNSHIP HIGHWAY

The landowner named on this permit understands that they are required by Ohio Revised Code Sec. 5543.16 to obtain an access permit and are not allowed to obstruct the highway or highway drainage. The property owner further understands they are responsible for the cost of the driveway approach and pipe as well as the maintenance and repair, and that the driveway must meet the specifications of this permit. If the driveway approach is reconstructed as part of a public improvement, it will be done at public expense.

Culvert size Shall be determined by the Washington County Highway Department or Township Trustees

For Residential Driveways it is understood that the landowner will furnish, and have on site, a culvert that the Washington County Highway Department or Township Trustees will place when time allows, if respective agency performs said service and if installation is requested by the landowner.

Commercial Driveways Shall be installed by a contractor.

Requested Culvert Size:

_____ In. Diameter x _____ Ft. Length Type of Pipe _____

Is this Residential _____ Commercial _____

CULVERT is to be located at: Address - House No. _____ Road Name: _____

City/ State: _____ Zip code: _____ or

Nearest Existing Address: _____ or

Distance from nearest Intersection _____ miles, Direction _____ From Road Name: _____

Desired Installation Date _____

Who will install? _____

(Owner, or If by Contractor - please give name and phone)

Requested by: _____

Landowner or Agent

Address: _____

Phone: Day _____ Evening _____

Signature of Property Owner _____

All Locations Shall be marked with White Ribbon and Stakes

Office use only:

Required Culvert Size: _____ In. x _____ Ft. Length

Comments or conditions for approval _____

Approved: Date _____

By: _____

County Engineer / Township Trustee or Authorized Rep.

PERMIT FEE: Residential – No Charge, Commercial - \$100.00. **Invoice will be mailed after permit is approved.**


WASHINGTON COUNTY RESIDENTIAL AND COMMERCIAL DRIVEWAY PERMIT

Driveway Permit Construction Specifications

- The County will install a maximum of 40 feet of culvert pipe per residential drive.
 - Driveway culverts may not be required if the drive is located on or near the crest of a hill.
 - Sight Distance Constraints may cause the requested Driveway Permit to be rejected.
 - For Residential Driveways the Property owner may, or may not, be required to have 304 aggregate on site, the respective authority Shall determine. The property owner Shall reimburse the Washington County Engineer's Office / Township Trustees for a **minimum** load of six (6) tons of 304 aggregate to be used in culvert installation and berm repair if supplied by the respective Authority.
 - For all Driveways the required size of culvert Shall be a minimum of 12 inches in diameter.
 - Residential culverts Shall be a minimum of 20 feet in length / Commercial culverts Shall be a minimum of 40 feet in length.
 - The material type for the culvert Shall be approved by the respective authority. Double wall corrugated plastic pipe is preferred. Material options Shall be Galvanized Corrugated Metal Pipe, Double Wall Plastic Pipe or Reinforced Concrete Pipe.
 - All culverts Shall have a minimum of 12 inches of cover above the pipe unless respective authority approves otherwise.
 - All materials used for Commercial Culvert installations Shall meet or exceed the Ohio Department of Transportation (ODOT) Construction and Materials specifications, latest edition.
- 1) The drive Shall not rise above the edge of the road pavement until it is beyond the road ditch if in a location where the property to be accessed is above the road.
 - 2) The property owner is responsible for developing crown and a swale at the driveway entrance to keep mud or aggregate from washing out of the driveway and onto the public road.
 - 3) The property owner Shall maintain the driveway such that it properly drains to the road ditches and away from the public road to prevent icing, and damage to the pavement.
 - 4) All property owners Shall obtain a permit to access or change access to a public road.
 - 5) When the owner, or his designated contractor, performs the installation, the Respective Authority Shall be notified a minimum of two (2) business days in advance to allow for inspection scheduling.
 - 6) All future maintenance of the culvert is the responsibility of the property owner. The Respective Authority will in no way be held responsible for any future maintenance of the culvert.


All installations shall be in accordance with the specifications and accompanying drawing on page 3 of this permit.

WASHINGTON COUNTY RESIDENTIAL DRIVEWAY




PAVEMENT

WASHINGTON COUNTY COMMERCIAL DRIVEWAY



PAVEMENT



HALF SECTION VIEW

Page 3 of 3

SDWETS\FORMS AND PERMITS\DRIVEWAY\DRIVEWAY CULVERT 7013.DWG